



BLATIGUE Project Report-Standard Static Tests of a 14.3 m Olsen Wing Blade

**Chen, Xiao; Trevisi, Filippo; Berring, Peter; Yeniceli, Süleyman Cem; Semenov, Sergei; Madsen, Steen
Hjelm; Branner, Kim**

Publication date:
2018

Document Version
Publisher's PDF, also known as Version of record

[Link back to DTU Orbit](#)

Citation (APA):
Chen, X., Trevisi, F., Berring, P., Yeniceli, S. C., Semenov, S., Madsen, S. H., & Branner, K. (2018). *BLATIGUE Project Report-Standard Static Tests of a 14.3 m Olsen Wing Blade*.

General rights


Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Standard Static Tests of a 14.3 m Olsen Wing Blade

A project report of BLATIGUE funded by EUDP



Xiao Chen, Filippo Trevisi, Peter Berring,
Süleyman Cem Yeniceli, Sergei Semenov,
Steen Hjelm Madsen, Kim Branner

Department of Wind Energy, DTU

December 2018



Author(s): Xiao Chen, Filippo Trevisi, Peter Berring, Süleyman Cem Yeniceci, Sergei Semenov, Steen Hjeltn Madsen, Kim Branner

Title: Standard Static Tests of a 14.3 m Olsen Wing Blade

Department: Wind Energy

Abstract:

A 14.3-m long wind turbine blade is tested under static loads in the Large Scale Test Facility at DTU Risø Campus. This report describes the test setups, sensor instrumentation, load introduction and data process in detail. The static tests are performed following the IEC 61400-23:2014 test standard in four loading directions. The blade is instrumented with strain gauges, draw-wire type displacement transducers and load cells. The blade is loaded in four locations along the length using hydraulic winches to apply the desired test bending moments based on aero-elastic analysis. The deformation and longitudinal strains measured from the tests are compared with analytical calculations. A good agreement is found. No blade damages has been found in the tests.

**Department of Wind Energy,
Technical University of Denmark,
Frederiksborgvej 399, 4000 Roskilde,
Denmark**

December 2018

Contract no.:

64016-0023

Group's own reg. no.:

BLATIQUE.LSF.ST.RPT.1

Sponsorship:

Danish Energy Technology Development and Demonstration Program (EUDP). BLATIQUE - Fast and efficient fatigue test of large wind turbine blades

Technical University of Denmark

DTU Wind Energy

P.O.Box 49

4000 Roskilde

Denmark

Telephone +45 4677 5085

communication@windenergy.dtu.dk

Contents

1	Introduction	4
2	Blade information	4
3	Blade instrumentation	5
3.1	Blade mounting position	5
3.2	Strain gauge deployment	5
3.3	Draw-wire displacement transducers	7
4	Test setup and test procedure	8
4.1	Loading introduction	8
5	Test results	12
5.1	Flapwise bending: pressure side to suction side (P2S)	12
5.2	Edgewise bending: trailing edge to leading edge (T2L)	13
5.3	Flapwise bending: suction side to pressure side (S2P)	13
5.4	Edgewise bending: leading edge to trailing edge (L2T)	14
5.5	Post-test inspection	15
6	Acknowledgements	16
	Appendices	17
A	Measured cross sectional strains	17
B	Description of the analytical solution	17
B.1	Stiffness distribution of the blade	17
B.2	Analytical solution	18
B.3	Comparison between test results and predictions	18